



KEMBOT



INDUSTRIAL OILS



KEMBOT



About Us

Kembot is the fastest growing business and the leading manufacturers of the wide range of high quality greases, coolants and lubricants for all industries from agriculture to automotive. Our high performance Grease and wide range of lubricants are designed to enhance the performance and efficiency of the machinery and extend its life and reliability.


Each sector require special lubricants to according to its mechanical components. We ensure kembot lubricants and grease are compatible with these specific requirements in various fields of application. Our aim has always been to design best performance products to meet the requirements of the fast growing technological innovations by constantly developing innovative formulations towards friction reduction and improve the life and performance of machinery.

Kembot is driven by innovation and quality to meet customer satisfaction and provide world-class products by embracing newer technology. All Kembot products are processed to the established National and International Standards and certified by ISO standards. Our expert R&D team work with our reputed customers from multi-disciplinary industries across the globe including public and private sectors to bring best performance products and meet their evolving requirements successfully.

All the products are packed in 1/2 Ltr, 1 Ltr, 5Ltrs, 20 Ltrs, 35 Ltrs in triple sealed plastic containers and 205 Ltrs M.S. barrels to ensure quality. We ensure that the product consignment is executed to our customers under strict quality standards and delivered on time securely.


EQUIVALENT CHART

SI.No.	PRODUCT	BRAND	BRAND IN HPCL/IOC/BPCL ETC.
01	SOLUBLE CUTTING OIL	KEMBOT SOL XL SUPERCOOL-S	COOLEGE - 40, SERVOCUT - S / SHEROL - B / COOL- CUT - 40
02	STRAIGHT CUT OIL	KEMBOT FIN-MB KEMBOT FIN-CB, KEMBOT FIN-SB	TRIMOFFIN / NORCAM / SERVOCUT / ILOCUT SERIES (51-945)
03	WHITE OILS	KEMBOT WHITE - A KEMBOT WHITE - B	PRIVATE MANUFACTURERS ONLY*
04	HYDRAULIC OILS	KEMBOT HYDRA 32,46,68, 100, 150,220,320,460	SERVO SYSTEM / ENCLO / HYDROL / PERFECT 0 SERIES
05	HYDRAULIC OILS	KEMBOT HYDRA - HLP SERIES 32,46,68,100,150,220,320,460	SERVO SYSTEM HLP / ENCLO HLP / HYDROL HLP SERIES
06	ENGINE OILS (LINEAR)	KEMBOT LUBE 30,40,50	HYLUBE MILCY / SERVO PRIDE / ACTUMA ULTRA SERIES
07	GEAR OILS	KEMBOT GEAR / GEAR EP SERIES 90,140, 220, 320,460	SERVO GEAR SUPER / SPIROL EP SERIES
08	HONE FLUSH	KEMBOT HONE FLUSH KEMBOT HONE FLUSH SPL	SERVO HONE 7, CASTROL HONILO- 480, 980, 981SERIES
09	SPINDLE OILS	KEMBOT SPIN 2,5,10,12,15,22	SERVO SPIN / HYDROL / SPINTEK SERIES
10	MACHINERY OILS	KEMBOT LINE 32,36,68, 100,150 220,320,460	SERVO LINE / CABOL / YANTHROL SERIES J
11	LOOM OILS	KEMBOT TEX 100,150	SERVO LOOM SERIES
12	QUENCHING OIL	KEMBOT QUENCH SERIES	SERVO QUENCH / THERMOL / META QUENCH SERIES
13	THERMIC OIL	KEMBOT THERM SERIES	HYTHERM / SERVO THERM/ THER- MOL SERIES
14	PNEUMATIC	KEMBOT PNEUMO 46,100, 150,220,320,460	PNEUMATIC 100, SERVO PNEUM 100, METAMOL R100
15	WAY OILS	KEMBOT WAY 32,46,68,100, 150, 220,320, 460	SERVO WAY / METAMOL / WAYLUBE / MAGNA-BD SERIES
16	PRESS OILS	KEMBOT PRESS 32,46,68, 100,150, 220,320, 460	SERVO PRESS SERIES
17	GLASS CUTTING OILS	GLASS CUTTING OIL	MEETS ALL OTHER REPUTED BRAND SPECS
18	TRANSFORMER OILS	TF OILS	IS-335 SPECIFICATIONS
19	FREEZE OILS	KEMBOT FREEZE 32, 46, 57, 68	SERVO FREEZ / FREEZOL SERIES
20	EDM OIL	KEMBOT EDM SERIES	MEETS ALL OTHER REPUTED BRAND SPECS
21	AUTO SPECIAL	KEMBOT AUTO SPECIAL	MEETS ALL OTHER REPUTED BRAND SPECS
22	MULTI GRADE ENGINE OIL	KEMBOT MILBY	CRB PLUS 20/W/40, CASTROL GTX 20/W/50



EQUIVALENT CHART

SI.No.	PRODUCT	BRAND	BRAND IN HPCL/IOC/BPCLETC.
23	MULTI GRADE ENGINE OILS	KEMBOT PREMIUM (MIL-C) 15/W/40, 15/W/40 CF4 CH4, C14 & CI PLUS SERIES	DEUSOL SUPER / SERVO / MAG- NATEC SERIES SERVO PRIDE / GTX EXTRA CF-4 SERIES
24	4T / 4T PLUS OILS	KEMBOT 10 / W / 30, 10 / W / 40 / 20 / W / 40, 20 / W / 50	MAK 4T, SERVO 4T, ACTIVE 4T, IDEMITSU - 4T PLUS
25	RUST PREVENTIVE OIL	KEMBOT DW901(W), DW 901(DRY) 902, 904, 630, 6302, 274	EQUIVALENT TO OTHER REPUTED BRANDS
26	FORK OIL	KEMBOT FORK OILS	EQUIVALENT TO OTHER REPUTED BRANDS
27	GREASES	AP3, EP2, COPPER, ALVANIA, EP O, EP OO	EQUIVALENT TO OTHER REPUTED BRANDS



All types of Industrial Greases also available





KEMBOT

AVAILABLE PACKINGS:

- 500 ml
- 900 ml
- 1 Ltr.
- 5 Ltr.
- 10 Ltr.
- 20 Ltr.
- 35 Ltr.
- 205 Ltrs.


PRODUCTS & SPECIFICATIONS APPLICATIONS

PRODUCTS	KEMBOT	SPECIFICATION	RECOMMENDED USAGE
SOLUBLE CUTTING OILS	Kembot Sol XL SUPER COOL-S	20-150-001.1	Protects against Rust, Wear, Heat and Bacteria Recommended in all machining operations like grinding, planing and shaping operations. The general mix ratio is 1: 20 in heavy jobs and 1: 30 in light jobs upto 400 to 600 ppm of hard water.
NEAT CUT OILS	Kembot Fin MB Kembot Fin CB Kembot Fin SB	IS-3065-1985	Recommended in operation like free cutting, broaching, tapping, drilling and grinding of both ferrous and non ferrous materials. Sulphurised oils are not recommended on non ferrous Jobs.
HYDRAULIC	Kembot Hydra	Hydra 32, 46, 68,100, 150, 220, 320, 460 IS 10522	High reliability, anti foam, anti wear type hydraulic oils recommended for use in enclosed gear boxes, compressors and hydraulic systems.
	Kembot Hydra HLP	IS 11656-1986 Cinycinatti Milacron P-69 VG 32, 46, 68, 100,150	HLP oils are recommended in high performance hydraulic, electro hydraulic or pneumatically controlled systems.
PNEUMATIC OILS	Kembot Pneumo	VG 46,100,150, 220, 320,460	For use in pneumatic equipments like rock drills, jack hammers. clippers and grinders.
SPINDLE OILS	Kembot Spin	VG 2,5,10, 12, 15,22	Spindle oils for textile machine tools, spindle bearings, positive displacement blowers and hydraulic system of precision equipments.
MACHINERY OILS	Kembot line	VG 32,46,68,100,150, 220,320	General purpose machinery oils for textile looms, bearings, air compressors and other machine parts for general lubrication.



PRODUCTS & SPECIFICATIONS APPLICATIONS

PRODUCTS	KEMBOT	SPECIFICATION	RECOMMENDED USAGE
GEAR OILS	Kembot gear / EP Series	VG 90,140 220, 320,460	Recommended for use in industrial gears, plain and antifriction bearings subjected to shock, and heavy loads where the operating temperature does not exceed 90 °C.
WAY OILS	Kembot way	VG 32,46,68,100, 150,220,320,460	Kembot Way oils are used in slide way lubrication of planes, grinders, horizontal boring machines, shapers, jig borers, involving high precision work, & are also recommended for lubrication of gears.
QUENCHING OILS	Kembot Quench	Kembot Quench series	Recommended in normal quenching operation on steel parts, high speed tool ball bearings, drums and other metal components.
HONING OILS	Kembot Hone Flush	Kembot Hone 480,980,981	Recommended for operations such as turning, drilling, tapping of aluminum alloys & machining operations of ferrous and non - ferrous metals.
THERMIC OILS	Kembot Therm	Kembot Thermic Series	Recommended for heat transfer in direct and jacketed transmission systems. They offer long and trouble free service.
RUST PREVENTIVE OILS	Kembot RPO Series	RPO DW 901 (WET), 901 (DRY)902, 904, 630, 6304, 274	Recommended for rust preventive action blended with film forming additives, corrosion inhibitors and selected waxes to enhance the performance in self spray & humidity cabinet.
GLASS CUTTING OIL	Kembot Glass Cutting Oil		Recommended for cutting of high thickness flat glass sheets, automotive glass and cutting float glass online. It helps smooth cutting operations, reduces cutting time, gives cutting tools longer service life, and provides a good surface finish of glass edges. It is formulated from low viscosity oils for use in automatic lubricators)





KEMBOT

Email: info@kembotlubes.com

Website: www.kembotlubes.com

Address: Level 8, Tower 1, Umiya Business Bay, Cessna Business Park, Marathahalli ORR, Bangalore India – 560103